

## SAFETY DATA SHEET

SECTION 1: PRODUCT					
	AND COMPA	NY IDENTIFICATION			
PRODUCT IDENTIFIER	EVCO Industrial Oil Absorbent				
CHEMICAL NAME	Montmorillonite Clay, Calcined				
CHEMICAL FAMILY	Clay				
MATERIAL USE	Oil Absorbent				
RESTRICTION ON USE	None Known				
MANUFACTURER	EP Minerals, LLC., 9875 Gateway Dr., Reno, NV 89521				
TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)				
EMERGENCY TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)				
SDS DATE OF PREPARATION	January 28, 2014				
SECTION 2: HAZARDS	IDENTIFICAT	TION			
OSHA GHS HAZARD CLASSIFICATION	Carcinogen Category 1A Specific Target Organ Toxicity, Repeated Exposure Category 1				
HAZARDS NOT OTHERWISE CLASSIFIED	None				
LABEL ELEMENTS	DANGER May cause cancer by inhalation. Causes damage to lungs through prolonged or repeated exposure. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear eye protection. If exposed or concerned: Get medical advice. Dispose of contents in accordance with local, state and federal regulations.				
	If exposed or conce	n. erned: Get medical advice.	l regulations.		
	If exposed or conce Dispose of content	n. erned: Get medical advice. s in accordance with local, state and federal <b>MATION ON INGREDIENTS</b> APPROXIMATE			
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair	If exposed or concerning Dispose of contents	n. erned: Get medical advice. s in accordance with local, state and federal <b>MATION ON INGREDIENTS</b>			
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair Crystalline Silica - Quartz)	If exposed or conce Dispose of contents TION / INFOR ATION as 10-15%	n. erned: Get medical advice. s in accordance with local, state and federal <b>MATION ON INGREDIENTS</b> APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS 70892-59-0		
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair Crystalline Silica - Quartz) SECTION 4: FIRST AID	If exposed or concerning Dispose of contents TION / INFOR ATION as 10-15% MEASURES	n. erned: Get medical advice. s in accordance with local, state and federal <b>MATION ON INGREDIENTS</b> APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS 70892-59-0 14808-60-7		
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair Crystalline Silica - Quartz) SECTION 4: FIRST AID	If exposed or concerning Dispose of contents TION / INFOR ATION Its 10-15% MEASURES Flush eyes with ge	n. erned: Get medical advice. s in accordance with local, state and federal <b>MATION ON INGREDIENTS</b> APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7		
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair Crystalline Silica - Quartz) SECTION 4: FIRST AID EYE SKIN	If exposed or concerning Dispose of contents TION / INFOR ATION as 10-15% MEASURES Flush eyes with ge Use moisture renew	n. erned: Get medical advice. s in accordance with local, state and federal MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7 tion. Consult physician if irritation persists.		
INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contair Crystalline Silica - Quartz) SECTION 4: FIRST AID EYE SKIN INGESTION	If exposed or concerning Dispose of contents TION / INFOR ATION Ins 10-15% MEASURES Flush eyes with ge Use moisture renew Drink generous am	n. erned: Get medical advice. s in accordance with local, state and federal MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7 tion. Consult physician if irritation persists.		
	If exposed or concerning Dispose of contents TION / INFOR ATION INS 10-15% MEASURES Flush eyes with ge Use moisture renew Drink generous am Remove to fresh ai Dust may cause ab throat and upper re	n. erned: Get medical advice. s in accordance with local, state and federal MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100% nerous quantities of water or eye rinse solut wing lotions if dryness occurs. ounts of water to reduce bulk and drying eff r. Blow nose to evacuate dust. orasive irritation to eyes. Prolonged skin con	C.A.S. NUMBERS 70892-59-0 14808-60-7 tion. Consult physician if irritation persists. fects. fects. tact may cause dryness. Dust may cause nose, n of respirable dust containing silica may cause a		

	EVCO Industrial Oil Absorbent Page				Page 2 of 4
SECTION 5: FIRE FIGHT	TING M	EASURES			
EXTINGUISHING MEDIA	Not applicable, the material is not combustible.				
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable, the material is not combustible.				
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applicable, the material is not combustible.				
<b>SECTION 6: ACCIDENT</b>	AL REL	EASE MEASUR	ES		
PERSONAL PRECAUTIONS	If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles. Do not breathe dust.				
ENVIRONMENTAL PRECAUTIONS	This material is not a significant environmental concern.				
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum clean spillage or wet sweep. Avoid creating airborne dust. Place in a container for use or disposal.				
SECTION 7: HANDLING		TORAGE			
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Do not breathe dust. Repair or dispose of broken bags. Observe all label precautions and warnings. Flammable or hazardous substances may retain such characteristics after absorption. Care should be taken to store and dispose of waste material in accordance with instructions of manufacturer of substance absorbed and applicable laws. Do not use with hydrofluoric acid or concentrated caustic solutions.				
CONDITIONS FOR SAFE STORAGE	Store in a dry place to maintain packaging integrity and product quality. Store product separately from feed, food pesticides and fertilizers so that cross contaminations does not occur. Do not store near hydrofluoric acid or concentrated caustic solutions.				
SECTION 8: EXPOSURE	E CONT	ROLS / PERSON	NAL PROTEC	TION	
EXPOSURE GUIDELINES:					
EXPOSURE GUIDELINES: Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL
Montmorillonite Clay, Calcined (as Pa	irticulates	OSHA PEL 5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust	ACGIH TLV None Established	MSHA PEL 5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust	
	rticulates	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust	None	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust	
Component Montmorillonite Clay, Calcined (as Pa not otherwise classified)	rticulates	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2	None Established 0.025 mg/ m <sup>3</sup>	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2	None Established
Component Montmorillonite Clay, Calcined (as Pa not otherwise classified) Crystalline Silica (Quartz)	Use gene	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust eral or local exhaust ventile	None Established 0.025 mg/ m <sup>3</sup> Respirable dust	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2	0.05 mg/ m <sup>3</sup> Respirable dust
Component Montmorillonite Clay, Calcined (as Panot otherwise classified) Crystalline Silica (Quartz) ENGINEERING CONTROLS PERSONAL PROTECTIVE	Use gene	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust eral or local exhaust ventile	None Established 0.025 mg/ m <sup>3</sup> Respirable dust	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust within recommended exposure lim	0.05 mg/ m <sup>3</sup> Respirable dust
Component Montmorillonite Clay, Calcined (as Pa not otherwise classified) Crystalline Silica (Quartz) ENGINEERING CONTROLS PERSONAL PROTECTIVE	Use gene publicatio	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust eral or local exhaust ventile	None Established 0.025 mg/ m <sup>3</sup> Respirable dust	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust within recommended exposure lim	0.05 mg/ m <sup>3</sup> Respirable dust
Component Montmorillonite Clay, Calcined (as Pa not otherwise classified) Crystalline Silica (Quartz) ENGINEERING CONTROLS PERSONAL PROTECTIVE EQUIPMENT:	Use gene publicatio	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust eral or local exhaust ventile on "Industrial Ventilation" of	None Established 0.025 mg/ m <sup>3</sup> Respirable dust	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust within recommended exposure lim	0.05 mg/ m <sup>3</sup> Respirable dust
Component Montmorillonite Clay, Calcined (as Panot otherwise classified) Crystalline Silica (Quartz) ENGINEERING CONTROLS PERSONAL PROTECTIVE EQUIPMENT: EYE / FACE PROTECTION	Use gene publication Goggles 1 No specia Respirato present. or half-ma than ten ( filters is r PEL use greater th	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust eral or local exhaust ventile on "Industrial Ventilation" of to protect from dust al equipment is needed. ors fitted with filters certifie If the dust concentration i ask respirator with a N95 of (10) times and less than fi ecommended. If dust con a power air-purifying (pos	None Established 0.025 mg/ m <sup>3</sup> Respirable dust ation to control dust or similar publications d to standard 42CFF is less than ten (10) t dust filter or a single fty (50) times the PE centration is greater tive pressure) respir es the PEL use a typ	5 mg/m <sup>3</sup> respirable dust 15 mg/m <sup>3</sup> total dust <u>30 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 total dust <u>10 mg/m<sup>3</sup></u> % SiO <sub>2</sub> +2 Respirable dust within recommended exposure lim	None Established O.05 mg/ m <sup>3</sup> Respirable dust its. Refer to ACGIH its. Refer to ACGIH its. Refer to ACGIH its dust is mit (PEL) use a quarter concentration is greate d with replaceable N95 undred (200) times the If dust concentration is

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE, COLOR	Tan to gray	ODOR	Odorless
PHYSICAL STATE	Solid	ODOR THRESHOLD	Not applicable
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not applicable
BOILING POINT	Not applicable	MELTING POINT	Unknown
FLASH POINT	Not applicable	pH (10% SUSPENSION)	Unknown
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not applicable
DECOMPOSITION TEMPERATURE	Unknown	SPEC. GRAVITY / RELATIVE DENSITY	2.2
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT – n- OCTANOL/WATER	Not applicable
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY - WATER	< 1.0%
		VISCOSITY	Not applicable

## **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY	Material is not reactive.
CHEMICAL STABILITY	Material is stable.
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive under normal conditions of handling unless mixed with incompatible substances below.
CONDITIONS TO AVOID	Not applicable
INCOMPATIBLE MATERIALS	Unsaturated organic compounds, such as turpentine and vegetable oil, hydrofluoric acid and concentrated caustic solutions may react violently with the product.
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable

## **SECTION 11: TOXICOLOGICAL INFORMATION**

POTENTIAL HEALTH EFFECTS	
Likely Routes of Exposure	See below
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.
INGESTION	Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.
CHRONIC EFFECTS	This product contains naturally occurring crystalline silica. Respirable crystalline silica may cause lung cancer and lung disease (silicosis) if inhaled for prolonged periods. Symptoms of silicosis include wheezing, cough and shortness of breath.
CARCINOGENICITY	This natural product is composed predominantly of clay, but contains some crystalline silica. Respirable crystalline silica (quartz) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.
NTP	Respirable crystalline silica (quartz) is classified as a known human carcinogen.
IARC	Respirable crystalline silica (quartz) is classified as a known human carcinogen.
NUMERICAL MEASURES OF TOXICITY	No data available

MATERIAL NAME	EVCO Ir	ndustrial Oil Absorbent			Page 4 of 4
CORROSIVENESS, SENSITIZATION, IRRITANCY	Not applicable				
REPRODUCTIVE TOXICITY	Not available				
TERATOGENICITY, MUTAGENICITY	Not available				
SECTION 12: ECOL	DGICA	AL INFORMATION			
ECOTOXICITY:	No toxicity is expected				
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.				
BIOACCUMULATIVE POTENT	IAL Little potential for bioaccumulation				
MOBILITY IN SOIL	No mobility				
OTHER ADVERSE EFFECTS	None known				
SECTION 13: DISPO	SAL C	CONSIDERATIONS			
WASTE DISPOSAL		naterial as supplied becomes a waste, use solid v Not considered a hazardous waste under RCR/			tions or in slurry to
PACKAGING DISPOSAL	Dispose operation	e of in accordance with applicable laws and regulons.	lations,	typically solid waste disposal commo	n to landfill type
SECTION 14: TRANS	SPORT	T INFORMATION			
BASIC SHIPPING INFORMATION	DO NO	OT shipping classification 55 (no restrictions). T	echnica	al name is "Calcined Clay".	
ADDITIONAL INFORMATION	No special requirements or placarding necessary.				
SECTION 15: REGU	SECTION 15: REGULATORY INFORMATION				
U.S. FEDERAL:					
TSCA	Montmorillonite and Quartz appear on the EPA TSCA inventory list.				
CERCLA	Montmorillonite is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.				
SARA TITLE III	Not listed.				
California Proposition 65:	This product contains crystalline silica, a chemical known to the State of California to cause cancer.				
INTERNATIONAL:					
WHMIS Classification	Class D-2-A				
WHMIS Ingredient Disclosure List	Silica, crystalline, quartz				
SECTION 16: OTHER INFORMATION					
				0* Health	
		Y     0     4-Extreme       3-High     3-High       2-Moderate     1-Slight	0	0 Flammability	
			HMIS	0 Reactivity	
		0-Insignificant		E Protective Equipment	
ORIGINAL ISSUE DATE	January 14, 2014				
REVISION DATE	April 8, 2015				
REVISION NO.	2				

**Disclaimer:** As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.