_

PRIME SOURCE® Lotion Hand Soap

Version 1.3	Revision Date: 03/19/2015	MSDS Number: 31606-00004		Date of last issue: 02/10/2015 Date of first issue: 11/24/2014		
SECTION 1	. IDENTIFICATION					
Product name		:	PRIME SOURCE® Lotion Hand Soap			
Produc	t code	:	75004201	75004201		
Manufa	acturer or supplier's o	deta	ils			
Compa	ny name of supplier	:	PRIME SOURCE,	LLC		
Addres	S	:	One City Place Drive, Suite 200 St. Louis MO 63141			
Telepho	one	:	314-997-5959			
Emerge	Emergency telephone		800-424-9300			
Recom	mended use of the c	hem	ical and restrictio	ons on use		
Recom	mended use	:	Skin-care			
Restrictions on use :		:	consumers and ot foreseeable use. Of specifically defined exempt from the re While this material contains valuable proper use of the as well as unusual spills. This SDS sl employees and ot intended-use guid	care or cosmetic product that is safe for her users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. I is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions I and unintended exposures such as large hould be retained and available for her users of this product. For specific ance, please refer to the information ackage or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification
Not a hazardous substance or mixture.
GHS Label element
Not a hazardous substance or mixture.
Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Version 1.3	Revision Date: 03/19/2015	MSDS Number: 31606-00004	Date of last issue: Date of first issue:	
Chem	nical Name		CAS-No.	Concentration (%)
Alcoh salts	ols, C10-16, ethoxyla	ted, sulfates, sodium	68585-34-2	>= 1 - < 5
Cocoa	amidopropyl betaine		61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Sulfur oxides Carbon oxides Metal oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

Version 1.3	Revision Date: 03/19/2015		SDS Number: 606-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014	
Special protective equipment for fire-fighters		:	necessary.	ined breathing apparatus for firefighting if otective equipment.	
SECTION	6. ACCIDENTAL RELE	ASI	E MEASURES		
prote	onal precautions, ctive equipment and gency procedures	:	Follow safe han equipment recor	dling advice and personal protective mmendations.	
Environmental precautions		:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for containment and cleaning up			For large spills, containment to k can be pumped, container. Clean up remain absorbent. Local or nationa disposal of this n employed in the determine which Sections 13 and	ert absorbent material. provide diking or other appropriate seep material from spreading. If diked materia store recovered material in appropriate ning materials from spill with suitable I regulations may apply to releases and material, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding national requirements.	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.		
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.		
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents		

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.3	03/19/2015	31606-00004	Date of first issue: 11/24/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

•	•
Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0
	•

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.
Personal protective equipment	
Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

Hand protection

Remarks	:	Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

adequate protection.

circumstance where air purifying respirators may not provide

Version 1.3	Revision Date: 03/19/2015		DS Number: 06-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
SECTION	N 9. PHYSICAL AND CH	ЕМІС	AL PROPERTIE	S
Арре	earance	:	liquid	
Colo	r	:	opalescent, pink	
Odo	r	:	floral	
Odo	r Threshold	:	No data availabl	e
pН		:	4.8 - 6.2	
Melti	ing point/freezing point	:	No data availabl	e
Solic	dification / Setting point		2.9 °C	
Initia rang	l boiling point and boiling e	; ;	97.00 °C	
Flas	h point	:	> 100 °C	
Evap	poration rate	:	No data availabl	e
Flam	nmability (solid, gas)	:	Not applicable	
Uppe	er explosion limit	:	No data availabl	e
Lowe	er explosion limit	:	No data availabl	e
Vapo	or pressure	:	No data availabl	e
Rela	tive vapor density	:	No data availabl	e
Dens	sity	:	1.00 g/cm3	
	bility(ies) ′ater solubility	:	soluble	
	tion coefficient: n- nol/water	:	Not applicable	
Auto	ignition temperature	:	No data availabl	e
Deco	omposition temperature	:	The substance of	or mixture is not classified self-reactive.
Visco Vi	osity scosity, kinematic	:	3,000 - 16,000 n	nm2/s (20 °C)
Expl	osive properties	:	Not explosive	
Oxid	izing properties	:	The substance c	or mixture is not classified as oxidizing.

Versio 1.3	n	Revision Date: 03/19/2015		DS Number: 606-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014		
SECT	ION 1	0. STABILITY AND RI	EAC	ΤΙVΙΤΥ			
R	Reactivity		:	Not classified as	a reactivity hazard.		
С	hemic	cal stability	:	Stable under normal conditions.			
	Possibility of hazardous reac- tions		:	: Can react with strong oxidizing agents.			
С	Conditions to avoid		:	: None known.			
In	Incompatible materials		:	: Oxidizing agents			
	Hazardous decomposition products		:	: No hazardous decomposition products are known.			
SECTI	ION 1	1. TOXICOLOGICAL I	NFC	RMATION			
In S In	nforma nhalati kin co ngestic ye co	ntact	of e	exposure			
Α	cute	toxicity					

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Ingredients:

Alcohols, C10-16, ethoxylate Acute oral toxicity	 ed, sulfates, sodium salts: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocoamidopropyl betaine: Acute oral toxicity	: LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.3	03/19/2015	31606-00004	Date of first issue: 11/24/2014

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

ersion 3	Revision Date: 03/19/2015	MSDS Number: 31606-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014	
		Remarks: Base	ed on data from similar materials	
Carci	nogenicity			
	lassified based on avai	No ingredient of th	his product present at levels greater than or lentified as probable, possible or confirmed h by IARC.	
OSH	Α	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP			his product present at levels greater than or lentified as a known or anticipated carcinoge	
	oductive toxicity lassified based on avai	lable information.		
	dients:			
Сосо	amidopropyl betaine: ts on fetal developmen	t : Test Type: Eml Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414	
	-single exposure lassified based on avai	lable information.		
STOT	-repeated exposure			
	lassified based on avai	lable information.		
Repe	ated dose toxicity			
Coco Speci NOAI Applio	dients: amidopropyl betaine: es: Rat EL: 250 mg/kg cation Route: Ingestion			

Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Version 1.3	Revision Date: 03/19/2015	MSDS Number: 31606-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
SECTION	12. ECOLOGICAL IN	FORMATION	
Ecot	oxicity		
Ingre	dients:		
	amidopropyl betain ity to fish	: LC50: > 1 - 10 Exposure time Method: ISO 7	e: 96 h
Toxic	ity to bacteria		ng/l D Test Guideline 209 eed on data from similar materials
Persi	istence and degrada	bility	
Prod	uct:		
Biode	egradability	: Result: Biodeg	gradable
Ingre	dients:		
	h ols, C10-16, ethoxy egradability	lated, sulfates, sodiu : Result: Readil	u m salts: y biodegradable.
	amidopropyl betain egradability	: Result: Readil Biodegradatio Exposure time Method: OECI	
Bioa	ccumulative potentia	al	
No da	ata available		
	lity in soil ata available		
	r adverse effects ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.3	03/19/2015	31606-00004	Date of first issue: 11/24/2014

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
Cocoamidopropyl betaine	61789-40-0	1 - 5 %



AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8