

CANBERRA CORPORATION SAFETY DATA SHEET

1. Identification

Product Identifier: HUSKY EVERYDAY 705 FLOOR CLEANER/STRIPPER

Application or recommended use: Floor cleaner and finish remover

Restrictions on use: Do not use in any fashion not specified on the product label.

Manufacturer / supplier: Canberra Corporation

3610 N. Holland-Sylvania Rd. Toledo, Ohio 43615 USA

Telephone: 419-841-6616 **Emergency phone:** 800-832-8992 **National Poison Center:** 800-222-1222

2. Hazards Identification

GHS Classification: Classification of this mixture in accordance with paragraph (d) of §1910.1200.

Skin Corrosion/Irritation - Category 1B Eye Damage/Eye Irritation - Category 1 STOT-SE - Category 3 (Respiratory Irritation)

Label Elements:





Symbol: DANGER

DANGER

Hazard statements: Causes severe skin burns and serious eye damage.

May cause respiratory irritation.

Precautionary statements: Do not breathe mist/vapors/spray.

Wash hands, face and any skin contact thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in a well-ventilated area.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

See 4. First-Aid Measures for specific treatment.

Store locked up in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container to an approved disposal facility.

Other Hazards: Harmful if swallowed.

3. Composition / Information on Ingredients

Chemical characterization: Dilute sodium hydroxide solution, blended with detergents, solvents and auxiliary agents.

Hazardous ingredients: The exact percentage of composition has been withheld as a trade secret.

 5 - 10%
 Ethanolamine
 CAS 141-43-5, EINECS/ELINCS 205-483-3

 1 - 5%
 *2-Butoxyethanol
 CAS 111-76-2, EINECS/ELINCS 203-905-0

 1 - 5%
 Sodium hydroxide
 CAS 1310-73-2, EINECS/ELINCS 215-185-5

 1 - 3%
 Sodium xylene sulfonate
 CAS 1300-72-7, EINECS/ELICS 215-090-9

 1 - 3%
 Sodium dodecylbenzyl sulfonate
 CAS 25155-30-0, EINECS/ELINCS 246-680-4

Other ingredients (> 1%):

> 80% Water CAS 7732-18-5, EINECS/ELINCS 231-791-2

4. First-Aid Measures

Symptoms: Causes irritation or burning sensation. Causes severe skin burns and serious eye damage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Skin Contact: Remove contaminated clothing and wash before reuse. Wash contaminated area with soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Version: 001 **Date issued:** 31. 12. 2014 **Revision Date:** N/A Page 1 of 4

4. First-Aid Measures (cont.)

Inhalation: Move person to fresh air. If respiratory irritation or dizziness occurs, seek immediate medical assistance.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to a person who is unconscious or convulsing. If vomiting occurs, keep head below hips to reduce risk of aspiration. Probable mucosal damage may contraindicate the use of gastric lavage.

Note to Physician: Treat exposed patients symptomatically.

5. Fire-Fighting Measures

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide or foam extinguishing agents. In case of fire, keep containers cooled with water spray.

Unsuitable Extinguishing Media: High pressure water jet. Specific hazards in case of fire: None known. Special Fire Fighting Precautions: Fire fighters should wear appropriate protective equipment, including self-contained breathing apparatus and impervious clothing.

6. Accidental Release Measures

Emergency Procedures: Depending on the extent of release, consider the need for emergency responders with adequate personal protective equipment for clean up, need for evacuation or restriction to access of spill area.

Personal Precautions: Do not eat, drink or smoke during clean up. Wear protective clothing, eye protection and impervious gloves (e.g. neoprene). Wash thoroughly after clean up.

Environmental Precautions: Prevent spills from entering storm sewers/drains or contact with soil.

Clean up Methods: Small spills may be wiped up and rinsed with water. For larger spills, contain spill with inert material (sand, clay). Transfer material to labeled containers for recovery or proper disposal. After removal, flush area with water. Follow good industrial hygiene practices.

7. Handling and Storage

Precautions for Safe Handling: Read label before use. Avoid contact with skin or eyes. Do not breathe mist/vapors. Wash hands, face and any skin contact thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection, face protection. Use product only according to label directions. If unsure about safe use, contact your supervisor. Use only in a well-ventilated area.

Conditions for Safe Storage: Keep out of reach of children. Do not contaminate water, food or feed by storage and disposal. Store locked up in tightly closed, original container in a cool (10° - 30°C), dry area. **Incompatibility:** Acids, oxidizers.

8. Exposure Controls / Personal Protection

Components with occupational exposure limits:

Components with occupational imposure mines					
Component	Reference	TWA (8 hr)	PEL (8 hr)	STEL	
2-Butoxyethanol	ACGIH	20 ppm			
	OSHA		50 ppm		
Ethanolamine	ACGIH	3 ppm		6 ppm	
	OSHA		3 ppm		
Sodium hydroxide	ACGIH	2 mg/M^3			
	OSHA		2 mg/M^3		

Engineering Controls: Proper ventilation in accordance with good industrial hygiene should be provided.

Personal Protective Equipment

Evaporation Rate -

Respiratory: Respiratory protection is not necessary under normal conditions of use. If necessary to prevent exposure above occupational limits, use an approved cartridge style respirator.

Gloves: Use water impervious gloves (latex or neoprene rubber). No breakthrough time has been established.

Eye Protection: Chemical resistant goggles and face protection.

Similar to water

Other: Protective clothing (long sleeves, pants), eyewash, safety shower are always advisable when working with chemicals.

9. Physical and Chemical Properties

Physical State -	Liquid	Auto-ignition temperature – No data available		
Color -	None	Flash Point -	> 200°F (ASTM D3278)	
Odor -	Floral	Flammability (solid, gas) - Not applicable		
Odor Threshold -	No data available	Flammability Limits -	No data available	
Boiling Point -	212°F	Partition coefficient -	No data available	
Decomposition temperature - No data available		Solubility (Water) -	Complete	
Freezing Point -	<0°F	Vapor Density -	No data available	
pH (Neat) -	12.5 - 13.5	Vapor Pressure -	No data available	
pH (RTU) -	12.5 - 13.0	Viscosity -	Slightly viscous	
Relative Density -	1.050	% VOC -	10.8 (Excluding LVP material	

Version: 001 **Date issued:** 31. 12. 2014 **Revision Date:** N/A Page 2 of 4

10. Stability and Reactivity

Reactivity: No specific reactivity test data is available. Under normal conditions of storage and use, hazardous reactions are

Chemical stability: This product is stable at ambient temperatures and pressures.

Conditions to avoid: Temperatures above 50°C or below 10°C.

Hazardous decomposition products: None known.

11. Toxicological Information

Acute Toxicity: Toxicity data is not available for this mixture. Data below are estimates based on summation methods.

Test Results Classification (A.0.4.1(c)) Basis (A.1.3.6.1)

Oral > 2000mg/kg Not applicable Ingredient literature (Additive formula)

Dermal > 2000mg/kg Not applicable Ingredient literature (Additive formula)

Inhalation > 20 mg/L Not applicable Ingredient literature (Additive formula)

Eye Damage/Irritation Corrosion Category 1 Ingredient literature Skin Damage/.Irritation Corrosion Category 1B Ingredient literature

Summary: Skin and eye contact are most likely routes of exposure. Exposure causes skin burns and serious eye damage.

Subchronic/Chronic Toxicity:

Test Results Classification Basis

Skin Sensitization Not a sensitizer Not applicable Ingredient literature.

Summary: Repeated or prolonged contact causes skin burns and eye damage.

Carcinogens - Ingredients are not listed on the NTP Report on Carcinogens, IARC Monographs or by OSHA

Other data - No other toxicological information is available for this mixture.

12. Ecological Information

This material has not been tested for acute environmental effects.

Persistence and degradability: Material is not persistent. All organic components in this product are readily biodegradable. **Bio-accumulative potential:** No evidence to suggest bio-accumulation will occur.

Mobility: Accidental spillage may lead to penetration of soil and groundwater. However, due to degradability, no evidence suggests this would cause adverse ecological effects. Material will raise pH of affected area.

13. Disposal Considerations

RCRA Class - D002. Do not contaminate water, food or feed by disposal. If these materials cannot be disposed of by use according to label directions, contact your State Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If container is one gallon or less, wrap empty container in plastic bag and discard in trash.

14. Transport Information

Proper Shipping Name: UN3266, Corrosive Liquid, basic, inorganic, (Ethanolamine, sodium hydroxide)

RQ – Sodium hydroxide (1000 Lbs.) **Shipping emergency phone:** 800-424-9300

Transport hazard class: 8 **Hazard Label:** Corrosive

Packing Group: II Emergency Guide No.: 154 Marine Pollutant: No

15. Regulatory Information

Inventory status: All components are listed on TSCA(US), EINECS/ELINCS(EU), DSL(Canada), AICS(Australia), ENCS(Japan).

OSHA Hazard Communication Standard: This product meets the §1910.1200 definition of a "Hazardous Chemical".

Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Sections 311 and 312

Immediate (Acute) Health HazardYesDelayed (Chronic) Health HazardNoFire HazardNoReactive HazardNo

Sudden Release of Pressure Hazard No

Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Section 313

*Chemicals marked with an asterisk in "3. Composition/Information on Ingredients" are subject to reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40CFR Part 372.

Pennsylvania/New Jersey/Massachusetts Right to Know

See "3. Composition/Information on Ingredients" for hazardous and top five ingredients over 1% (w/w).

Version: 001 Date issued: 31. 12. 2014 Revision Date: N/A Page 3 of 4

15. Regulatory Information (cont.)

California Proposition 65: This product does not contain a listed substance known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

16. Other information

Date issued: 31. 12. 2014 F705-001 Revision: N/A

Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.

Prepared by: R&D, Canberra Corporation

Version: 001 Date issued: 31. 12. 2014 Revision Date: N/A Page 4 of 4