MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Praesidio 24 Acrylic Finish

PRODUCT CODES: CF-0897
PRODUCT USE: Floor Finish
CHEMICAL NAME: Acrylic Floor Finish

MANUFACTURER:Praetorian Protective Finishes, LLCPHONE NUMBER:952-895-6962ADDRESS:226 North River Ridge CircleFAX NUMBER:952-895-6964

Burnsville MN 55337 EMERGENCY PHONE: Infotrac 24 hr. Service 1-800-535-5053

Protective Finishes

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Mild milky liquid. Not flammable. May cause irritation to eyes skin or respiratory with prolonged contact. Ingestion may cause gastric distress.

POTENTIAL HEALTH EFFECTS: See Section 11 for more information.

EYES: Contact with eyes may cause irritation.

SKIN: None expected. Prolonged contact may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

INHALATION: None expected. Breathing airborne particles or dust from mixing, spraying, sanding, grinding, etc. may cause irritation to respiratory tract.

CARCINOGENICITY: No

ENVIRONMENTAL HAZARDS: None Known
OSHA REGULATED: Not Regulated

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS:	CAS / DSL Number	% WT	
Diethylene glycol monoethyl ether	111-90-0	2-8%	
Zinc Ammonium Carbonate	Proprietary Mixture	2-8%	

SECTION 4: FIRST AID MEASURES

EYE CONTACT: Check for and remove contact lenses. Flush eyes with clean clear running water for 15 minutes while holding eyes open. If irritation persists, seek medical

attention.

SKIN CONTACT: Remove contaminated clothing. Wash affected area with soap and water. Launder contaminated clothing before reuse. If irritation persists, seek medical

attention.

INGESTION: Give two glasses of water for dilution. DO NOT induce vomiting. Never give anything by mouth to an unconscious person; seek medical attention.

INHALATION: If signs of overexposure; remove the affected person to fresh air. If symptoms persist; seek medical attention.

GENERAL ADVISE: In case of accident or if you feel unwell, seek medical advise immediately (show the label or MSDS where possible).

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY: Product is not considered flammable or combustible by WHMIS/OSHA criteria. However, product will support combustion if involved in a fire. Products of

combustion include compounds of carbon, hydrogen, nitrogen and oxygen; including carbon monoxide.

EXTINGUISHING MEDIA: Use NFPA Class B Fire Extinguishers; carbon dioxide, all purpose dry chemical, water water fog, or chemical foam; polymer foam is preferred for large fires.

FIRE FIGHTING PROCEDURESUse water mist to keep containers cool to prevent rupture.

PROTECTION OF FIREFIGHTERS: Firefighters should wear self-contained breathing apparatus. Floor may become slippery if material is released, caution is advised.

SECTION 6: ACCIDENTAL RELEASE MEASURES

METHODS FOR CONTAINMENT CLEAN UP: WILL SUPPORT COMBUSTION. Ventilate area. Confine spill to a small area. Use absorbent material to clean up. Place soiled materials in approved containers

for disposal.

SECTION 7: HANDLING AND STORAGE

HANDLING: Avoid contact with skin and eyes. Do not swallow. Handle container with care. When using do not eat or drink. Wash hands before eating, drinking, or

smoking

STORAGE: Do not store in extremely high temperatures, above 115°F (46°C). Do not store in area below 32°F (0°C). Keep out of the reach of children. Keep container

tightly closed. Keep away from food, drink animal feeding stuffs. Protect containers from abuse.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES:							
INGREDIENT	OSHA	ACGIH					
INGREDIENT	Z-1 PEL	TWA	STEL	NIOSH (REL)			
Diethylene glycol monoethyl ether	NE	NE	NE	NE			
Zinc Ammonium Carbonate	NE	NE	NE	NE			

ENGINEERING CONTROLS: Practice safe work habits. Minimize body contact with this product and all other chemicals in general.

PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face Protection: Safety Glasses recommended for general protection, refer to 29 CFR 1910.133 or European Standard EN166.

Skin Protection: Recommended for general protection. Nitrile gloves are appropriate.

Respiratory Protection: NIOSH approved respriator designed to remove airborne particulate present in excess of maximum allowable concentations due to secondary operations such

as mixing, sanding, buffing, etc. Refer to 29 CFR 1910.134 or European Standard EN 149 for regulations.

CF-0897 Praesidio 24 Acrylic Finish

5/2/2012

Page 1 of 3

Handle according to established industrial hygiene and safety practices. Safety eyewash station nearby. Avoid breathing mist. Avoid contact with eyes and skin. Thoughly wash after handling and before eating or drinking. There are no known hazards associated with this material when used as recommended.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR: Milky White **LOWER FLAMMABILITY RATE:** Not Established Not Established ODOUR: Characteristic low odor **UPPER FLAMMABILITY RATE: PHYSICAL STATE:** Liquid **VAPOR PRESSURE (mmHg):** Not Established 8.6-8.8 **VAPOR DENSITY (AIR = 1):** Heavier than air : Ha

SPECIFIC GRAVITY /WT PER GAL: FREEZING POINT: Below 32 deg F 8.78-8.8 **BOILING POINT:** Not Established **SOLUBILITY IN WATER:** Yes

FLASHPOINT: Not Established **AUTO-INGINITION TEMPERATURE:** Not Established

EVAPORATION RATE: Not Established VOLATILE ORGANIC COMPOUNDS (VOC): Zero VOC - Consumer Goods Regulations

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Extreme temperatures

INCOMPATIBLE MATERIALS: None Known

HAZARDOUS DECOMPOSITION OR BY-

Decomposition will not occur if handles and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

PRODUCTS:

POSSIBLE HAZARDOUS REACTIONS: None Known

SECTION 11: TOXICOLOGICAL INFORMATION

	ACUTE TOXICITY - LD50 /LC50				CHRONIC EFFECTS	
INGREDIENT:	LC50 - Inhalation / Species	ORAL / Species	DERMAL / Species	Eye Irritation / Species	Target Organs	Carcinogen or Potential
	7h: 700 ppm -					
Ethylene glycol monobutyl ether	Mouse	1746 mg/kg - Rat	Strong - Guinea Pig	Moderate/Rabbit	Blood	No
Zinc Ammonium Carbonate	175 mg/l - Rat				None Known	No
*See Section 15 for more information						

SECTION 12: ECOLOGICAL INFORMATION

No Data is available on the adverse effects of this material on environment. Neither COD not BOR data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13: DISPOSAL CONSIDERATIONS

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste compliance with applicable laws are the responsibility solely of the waste generator. Praetorian has no control over the management practices of parties handling or using the material.

SECTION 14: TRANSPORT INFORMATION

PROPER SHIPPING NAME: DOT SHIPPING CLASS / Pack Group: Non Hazardous for Shipping Not Regulated **DOT HAZARD CLASS/Packaging Group** IATA HAZARD CLASS / Packaging Group: Not Regulated Not Regulated **REFERENCE:** NA **IMDG HAZARD CLASS:** Not Regulated **UN / NA IDENTIFICATION NUMBER:** RID / ADR Dangerous Goods Group: Not Regulated None LABEL: None Required **UN TDG Class / Packaging Group:** Not Regulated **HAZARD SYMBOLS: HIN # (Hazard Identification Number):** None None

NOTE: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EU, United Nations TDG, and WHIMS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION STANDARD:

This product is not a "hazardous Chemical" as defined by the OSHA Hazard Communication Standard (CFR29 1910.1200)

SUPERFUND AMENDMENTS AND REAUTORIZATION ACT OF 1986 TITLE III (Emergency Planning and Community Right-to-know Act of 1986)

		SARA Section 311					
					Contident Delegation of		CADA Castian
					Sudden Release of		SARA Section
INGREDIENT:	Immediate (Acute)	Delayed (Chronic)	Fire Hazard	Reactive Hazard	Pressure	SARA Section 313	302
Diethylene glycol monoethyl ether	Yes	No	Yes	No	No	Yes	No
Zinc Ammonium Carbonate	No	No	No	No	No	No	No

CERCLA - Comprehensive Response

TSCA - Toxic substances Control Act:

None

Compensation and Liability Act: CALIFORNIA PROPOSITION 65: STATE RIGHT-TO-KNOW:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

All required components are listed in Section 3

All components of this product and on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

CANADIAN:

CEPA - Canadian Environmental Protection Act (DSL / NDSL - Canadian **Domestic Substance List / Non-Domestic Substance List):**

IDL - Canadian Ingredient Disclosure

CF-Q&97 Praesidio 24 Acrylic Finish

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) Regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

Components of this product identified by CAS number are listed on the Canadian Ingredient Disclosure List are shown in Section 3.

CPR - Canadian Controlled Products

Regulations: by the Controlled Products Regulation

This Product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all information required by the Controlled Products Regulations.

WHMIS CLASSIFICATION(S):

D1B, D2B

None

EINECS - European Inventory of Existing Components of this product identified by CAS numbers, Section 3, are on the European Inventory of Existing Commercial Chemical Substances.

Commercial Chemical Substances:

SYMBOLS REQUIRED FOR LABEL:

SECTION 16: OTHER INFORMATION

NFPA - NATIONAL FIRE PROTECTION ASSOCIATION: Hazard Rating: 0=minimal, 1=slight, 2=moderate, 3=severe, 4=extreme

Health: 2
Fire: 0
Reactivity: 0
Protection: X

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third party/persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

DATE OF PREPARATION: March 1, 2012

REVISION DATE: New

PREPARED BY: Praetorian Protective Finishes. LLC

226 North River Ridge Circle Burnsville, MN 55337