Spor-Klenz® Concentrate



According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/27/2019 Version: 1.0

SECTION 1: Identification

Product Identifier

Product Form: Mixture Product Name: Spor-Klenz® Concentrate Cold Sterilant Product Code: 6520

1.2. Intended Use of the Product

Use of the substance/mixture: Hard Surface Antimicrobial.

For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

STERIS Corporation Official Mailing Address:

P.O. Box 147

St. Louis, MO 63166 USA

Street Address: 7501 Page Avenue St. Louis, MO 63133 USA

Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

web: www.steris.com

email: asksteris_msds@steris.com

Emergency Telephone Number

Emergency Number : +44 (0) 1895 622 639

SECTION 2: Hazards Identification

Classification of the Substance or Mixture

Classification (GHS-US)

Ox. Liq. 1 H271 Skin Corr. 1A H314 Eye Dam. 1 H318 STOT SF 3 H335 Full text of H-phrases: see section 16

Label Elements - This label is regulated by the EPA under FIFRA. Refer to Section 15.

GHS-US Labeling

Hazard Pictograms (GHS-US)





Signal Word (GHS-US)

Danger Hazard Statements (GHS-US) H271 - May cause fire or explosion; strong oxidizer. H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary Statements (GHS-US)

P210 - Keep away from sparks, open flames, hot surfaces, heat. - No smoking.

P221 - Take any precaution to avoid mixing with combustible materials.

P260 - Do not breathe mist, vapors, spray.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P280 - Wear protective clothing, protective gloves, eye protection. P301+P330+P331 - If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P306+P360 - If on clothing: Rinse immediately contaminated clothing and skin with plenty of

water before removing clothes. P501 - Dispose of contents/container in accordance with local, regional, national, territorial,

provincial, and international regulations.

2.3. **Other Hazards**

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US)

No data available

02/27/2019 EN (English US) SDS Ref: 6520US 1/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information On Ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Hydrogen peroxide	(CAS No) 7722-84-1	22	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Acetic acid	(CAS No) 64-19-7	< 10	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318
Peroxyacetic acid	(CAS No) 79-21-0	4.5	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 STOT SE 3, H335

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes.

Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Ingestion: Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Corrosive. Causes burns. May cause respiratory irritation.

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Eye Contact: Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire. Water spray, fog, carbon dioxide, foam, dry chemical. Unsuitable Extinguishing Media: Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: 'Oxidizing': substances and preparations which exhibit highly exothermic reactions when in contact with other substances, particularly flammable substances. Will continue to burn in the absence of air.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Heating may cause an explosion.

Reactivity: May cause or intensify fire; oxidizer. Contains an organic peroxide; keep away from incompatible materials.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present. Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Remove ignition sources. No naked lights. No smoking. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

02/27/2019 EN (English US) SDS Ref: 6520US 2/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid with sodium bicarbonate or sodium carbonate. Absorb spillage to prevent material damage. Collect absorbed material and place into a sealed, labelled container for proper disposal

6.4. Reference to Other Sections

See Section 8: Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Keep only in original container. Keep container closed when not in use. Ensure adequate ventilation. Precautions for Safe Handling: Avoid contact with eyes, skin and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place. Store in original container. Store the bottle in upright position in a dark and cool place. Keep away from heat and direct sunlight.

Incompatible Products: Heavy metals. Salts. Flammable materials. Organic materials. Alkalis. Caustic products. Chlorine. Formaldehyde. Incompatible Materials: Heat sources. Combustible material. Avoid ignition sources. May cause combustible products to ignite. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water. Storage Temperature: Below 24 °C (75 °F)

Prohibitions on mixed storage: Store away from other materials. Keep/Store away from combustible material, oxidizable materials, and incompatible materials.

Pesticide Storage: Store in shipping carton. Do not expose to direct sunlight. Maintain temperature below 75°F (24°C). Avoid contact with combustible materials. Avoid contamination from any source, including metals, dust, etc. Such contamination may cause rapid decomposition, generation of large quantities of oxygen gas and high pressures. Store in original container. NEVER TAMPER WITH VENT.

7.3. Specific End Use(s)

Hard Surface Antimicrobial. For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

		` '	
Peroxyacetic acid (79-21-0)			
USA ACGIH	ACGIH STEL (ppm)	0.4 ppm (inhalable fraction and vapor)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Acetic acid (64	4-19-7)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm	
USA ACGIH	ACGIH STEL (ppm)	15 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	25 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)	10 ppm	
USA NIOSH	NIOSH REL (STEL) (mg/m³)	37 mg/m³	
USA NIOSH	NIOSH REL (STEL) (ppm)	15 ppm	
USA IDLH	US IDLH (ppm)	50 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	25 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm	
Hydrogen per	oxide (7722-84-1)		
USA ACGIH	ACGIH TWA (ppm)	1 ppm	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1.4 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)	1 ppm	
USA IDLH	US IDLH (ppm)	75 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1.4 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm	

02/27/2019 EN (English US) SDS Ref: 6520US 3/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated above. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Gloves. Protective goggles. Corrosionproof clothing. Face shield.









Materials for Protective Clothing

Hand Protection

Other Information

Eye Protection

Skin and Body Protection Respiratory Protection

Chemically resistant materials and fabrics. Wear chemically resistant protective gloves.

Chemical safety goggles. A full face shield is recommended.

Wear suitable protective clothing. Wash contaminated clothing before reuse.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection

should be worn.

When using, do not eat, drink or smoke.

SECTION 9: Physical And Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance Clear, colorless Odor Acid

Odor Threshold No data available 0.5 - 1.1 Ha No data available Evaporation rate

Melting Point No data available Freezing Point No data available Boiling Point No data available Flash Point No data available Auto-ignition Temperature No data available **Decomposition Temperature** No data available Flammability (solid, gas) No data available Vapor Pressure No data available Relative Vapor Density at 20 °C No data available

Specific Gravity 1.13 g/ml Solubility Complete in water Partition coefficient: n-octanol/water No data available Viscosity No data available >60° C

SADT/SAPT

Other Information

No additional information available

SECTION 10: Stability And Reactivity

Reactivity:

May cause or intensify fire; oxidizer. Contains an organic peroxide; keep away from incompatible materials.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition. Contamination.

Incompatible Materials:

Heavy metals. Salts. Flammable materials. Organic materials. Alkalis. Caustic products. Chlorine. Formaldehyde.

Hazardous Decomposition Products:

Thermal decomposition generates: Heat. oxygen. Acetic acid. Release of toxic and corrosive gases/vapors chlorine.

SECTION 11: Toxicological Information

Information On Toxicological Effects

Acute Toxicity: Not classified

Spor-Klenz® Concentrate Cold Sterilant		
LD50 Oral Rat	2.1 g/kg Male rats	
LD50 Dermal Rat	> 2 g/kg	
LC50 Inhalation Rat	> 2.26 mg/l	
Porovyacotic acid (70-21-0)		

02/27/2019 SDS Ref: 6520US EN (English US) 4/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	1540 mg/kg	
LD50 Dermal Rabbit	1410 μl/kg	
ATE (Gases)	4,500.00 ppmV/4h	
ATE (Vapors)	11.00 mg/l/4h	
ATE (Dust/Mist)	1.50 mg/l/4h	
Acetic acid (64-19-7)		
LD50 Oral Rat	3310 mg/kg	
Hydrogen peroxide (7722-84-1)		
LD50 Oral Rat	1193 mg/kg (Species: Sprague-Dawley; Exposure time: 4 h)	
LD50 Dermal Rat	4060 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	(Exposure time: 4 h)	

Skin Corrosion/Irritation: Causes severe skin burns and eye damage. (pH: 0.5 - 1.1) Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 0.5 - 1.1)

Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Hydrogen peroxide (7722-84-1)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Skin Contact: Causes severe irritation which will progress to chemical burns. Symptoms/Injuries After Eye Contact: Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

SECTION 12: Ecological Information

Toxicity

Ecology - General : Toxic to aquatic life.

3, 3,		
Spor-Klenz® Concentrate Cold Sterilant		
LC50 Fish 1	4.25 mg/l Bluegill	
EC50 Daphnia 1	2.61 mg/l Daphnia Magna/Water Flea	
LC 50 Fish 2	6.68 mg/l Rainbow Trout	
Acetic acid (64-19-7)		
LC50 Fish 1	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC 50 Fish 2	75 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
Hydrogen peroxide (7722-84-1)		
LC50 Fish 1	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC 50 Fish 2	18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	

12.2. **Persistence and Degradability**

No additional information available

12.3. **Bioaccumulative Potential**

Peroxyacetic acid (79-21-0)		
BCF fish 1	(not bioaccumulative, rapid degradation)	
Acetic acid (64-19-7)		
Log Pow	-0.31 (at 20 °C)	
Hydrogen peroxide (7722-84-1)		
BCF fish 1	(no bioaccumulation)	

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: Disposal Considerations

Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Container remains hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

02/27/2019 EN (English US) SDS Ref: 6520US 5/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site by diluting in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank for store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

SECTION 14: Transport Information

14.1 In Accordance with DOT

Proper Shipping Name : HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURES, STABILIZED with acids, water and not

more than 5 percent peroxyacetic acid

Hazard Class : 5.1
Identification Number : UN3149
Label Codes : 5.1,8
Packing Group : II
ERG Number : 145



14.2 In Accordance with IMDG

Proper Shipping Name : HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED

Hazard Class : 5.1
Identification Number : UN3149
Packing Group : II
Label Codes : 5.1,8
EmS-No. (Fire) : F-H
EmS-No. (Spillage) : S-Q
MFAG Number : 140



14.3 In Accordance with IATA

Product containers are vented; therefore, product cannot be shipped by air.

SECTION 15: Regulatory Information

15.1 US Federal Regulations

EPA FIFRA Pesticide Product Notice	This chemical is a pesticide regisered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproducted below. The pesticide label also includes other important information, including directions for use.
EPA FIFRA Signal Word	Danger
EPA FIFRA Hazard Statement	Keep Out of Reach of Children
EPA FIFRA Precautionary Statements	Hazard to Humans and Domestic Animals
	Corrosive.
	Causes irreversible eye damage.
	Harmful if absorbed through skin.
	Do not get in eyes, on skin, or on clothing.
	Avoid contact with skin.
	Prolonged or frequent repeated skin contact may cause an allergic reaction in some individuals.
	Wash contaminated clothing and wash hands before reuse.
	Caution should be used when applying indoors because pets may be at risk.

Spor-Klenz® Concentrate Cold Sterilant	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard Fire hazard Reactive hazard

Peroxyacetic acid (79-21-0)	
Listed on the United States TSCA (Toxic Substances Control Act)	inventory
Listed on the United States SARA Section 302	
Listed on United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	500
SARA Section 313 - Emission Reporting	1.0 %

Acetic acid (64-19-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydrogen peroxide (7722-84-1)	١
------------------------------	---	---

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States SARA Section 302

SARA Section 302 Threshold Planning Quantity (TPQ) 1000 (concentration >52%)

02/27/2019 EN (English US) SDS Ref: 6520US 6/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2 US State Regulations

Peroxyacetic acid (79-21-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Acetic acid (64-19-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Hydrogen peroxide (7722-84-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other Information

Revision date : 02/27/2019

Other Information : This document has been prepared in accordance with the SDS requirements of

the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

dii Text i filases.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Met. Corr. 1	Corrosive to metals Category 1
Org. Perox. D	Organic Peroxide Category D
Ox. Liq. 1	Oxidizing liquids Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H242	Heating may cause a fire
H271	May cause fire or explosion; strong oxidizer
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA Fire Hazard : 0 - Materials that will not burn.


NFPA Reactivity : 1 - Normally stable, but can become unstable at elevated

temperatures and pressures or may react with water with some

release of energy, but not violently.

NFPA Specific Hazard : OX - This denotes an oxidizer, a chemical which can greatly

increase the rate of combustion/fire.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US GHS

02/27/2019 EN (English US) SDS Ref: 6520US 7/7