

# **Safety Data Sheet**

Copyright, 2020, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:41-7245-8Version Number:3.01Issue Date:08/25/20Supercedes Date:07/20/20

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Clean & Shine Daily Floor Enhancer Ready-To-Use (Product No. 35, Chemical Management System)

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Hard Floor Maintenance

1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Commercial Solutions Division

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

#### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2. Label elements

## Signal word

Not applicable.

#### **Symbols**

Not applicable.

#### **Pictograms**

Not applicable.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                        | C.A.S. No.    | % by Wt               |
|-----------------------------------|---------------|-----------------------|
| Polymer                           | Trade Secret* | < 0.05 Trade Secret * |
| DIETHYLENE GLYCOL MONOETHYL ETHER | 111-90-0      | < 0.01 Trade Secret * |

Page 1 of 9

| Builder                     | Trade Secret* | < 0.01 Trade Secret *  |
|-----------------------------|---------------|------------------------|
| Surfactant #1               | Trade Secret* | < 0.01 Trade Secret *  |
| Surfactant #2               | Trade Secret* | < 0.01 Trade Secret *  |
| Water Repellent Impregnator | Trade Secret* | < 0.01 Trade Secret *  |
| Defoamer                    | Trade Secret* | < 0.001 Trade Secret * |
| Surfactant #3               | Trade Secret* | < 0.001 Trade Secret * |
| WATER                       | 7732-18-5     | > 99 Trade Secret *    |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **Inhalation:**

No need for first aid is anticipated.

#### **Skin Contact:**

No need for first aid is anticipated.

#### **Eye Contact:**

No need for first aid is anticipated.

#### If Swallowed:

No need for first aid is anticipated.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

**Substance** 

Carbon monoxide Carbon dioxide

# **Condition**

During Combustion
During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Observe precautions from other sections.

Page 2 of

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) NOTE: The above precautionary information presumes that this ready-to-use product has been diluted and dispensed from a chemical dispensing system.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient        | C.A.S. No. | Agency | Limit type            | Additional Comments |
|-------------------|------------|--------|-----------------------|---------------------|
| DIETHYLENE GLYCOL | 111-90-0   | AIHA   | TWA:140 mg/m3(25 ppm) |                     |
| MONOETHYL ETHER   |            |        |                       |                     |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

No engineering controls required.

# 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Under normal use conditions, eye exposure is not expected to be significant enough to require eye protection.

### Skin/hand protection

Under normal use conditions, skin exposure is not expected to be significant enough to require skin protection.

#### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid

**Color** Colorless-White

Specific Physical Form:LiquidOdorOdorless

**Odor threshold**No Data Available

**pH** 9 - 9.8

**Evaporation rate** Approximately 1 [Ref Std:WATER=1]

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapor Pressure

Vapor Density

Not Applicable

No Data Available

No Data Available

< 27 psia [@ 131 °F]

No Data Available

Specific Gravity Approximately 1 [Ref Std:WATER=1]

Solubility in Water Complete

Solubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableViscosity< 100 centipoise</th>Volatile Organic CompoundsNegligiblePercent volatile99 - 100 %

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

# 10.2. Chemical stability

Stable.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong oxidizing agents

# 10.6. Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No known health effects.

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

#### **Eve Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

#### **Ingestion:**

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

| Name                              | Route     | Species | Value  |
|-----------------------------------|-----------|---------|--|
| Overall product                   | Ingestion |         | No data available; calculated ATE >5,000 mg/kg |
| Surfactant #1                     | Dermal    | Rabbit  | LD50 > 2,000 mg/kg                             |
| Surfactant #1                     | Ingestion | Rat     | LD50 1,378 mg/kg                               |
| Builder                           | Dermal    |         | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| Builder                           | Ingestion | Rat     | LD50 > 2,000 mg/kg                             |
| DIETHYLENE GLYCOL MONOETHYL ETHER | Dermal    | Rabbit  | LD50 9,143 mg/kg                               |
| DIETHYLENE GLYCOL MONOETHYL ETHER | Ingestion | Rat     | LD50 5,400 mg/kg                               |
| Water Repellent Impregnator       | Ingestion | Rat     | LD50 > 2,000  mg/kg                            |
| Surfactant #3                     | Dermal    | Rabbit  | LD50 > 2,000 mg/kg                             |
| Surfactant #3                     | Ingestion | Rat     | LD50 > 700 mg/kg                               |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                              | Species   | Value                     |
|-----------------------------------|-----------|---------------------------|
|                                   |           |                           |
| Surfactant #1                     | Rabbit    | Irritant                  |
| Builder                           | Rabbit    | Minimal irritation        |
| DIETHYLENE GLYCOL MONOETHYL ETHER | Rabbit    | No significant irritation |
| Water Repellent Impregnator       | Professio | Corrosive                 |
|                                   | nal       |                           |
|                                   | judgeme   |                           |
|                                   | nt        |                           |
| Surfactant #3                     | similar   | Irritant                  |
|                                   | health    |                           |
|                                   | hazards   |                           |

T . . . .

Serious Eye Damage/Irritation

| Name                              | Species   | Value             |
|-----------------------------------|-----------|-------------------|
|                                   |           |                   |
| Surfactant #1                     | Professio | Corrosive         |
|                                   | nal       |                   |
|                                   | judgeme   |                   |
|                                   | nt        |                   |
| Builder                           | Rabbit    | Corrosive         |
| DIETHYLENE GLYCOL MONOETHYL ETHER | Rabbit    | Moderate irritant |
| Water Repellent Impregnator       | similar   | Corrosive         |
|                                   | health    |                   |
|                                   | hazards   |                   |
| Surfactant #3                     | Professio | Corrosive         |
|                                   | nal       |                   |
|                                   | judgeme   |                   |
|                                   | nt        |                   |

### **Skin Sensitization**

| Name                              | Species | Value          |
|-----------------------------------|---------|----------------|
| Surfactant #1                     | Guinea  | Not classified |
|                                   | pig     |                |
| DIETHYLENE GLYCOL MONOETHYL ETHER | Human   | Not classified |

# **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name                              | Route    | Value         |
|-----------------------------------|----------|---------------|
|                                   |          |               |
| Surfactant #1                     | In Vitro | Not mutagenic |
| DIETHYLENE GLYCOL MONOETHYL ETHER | In Vitro | Not mutagenic |
| DIETHYLENE GLYCOL MONOETHYL ETHER | In vivo  | Not mutagenic |

# Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

# Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name                                 | Route      | Value                                  | Species | Test Result              | Exposure<br>Duration        |
|--------------------------------------|------------|--|---------|--------------------------|-----------------------------|
| Surfactant #1                        | Dermal     | Not classified for female reproduction | Rat     | NOAEL 250<br>mg/kg/day   | 2 generation                |
| Surfactant #1                        | Dermal     | Not classified for development         | Rat     | NOAEL 250<br>mg/kg/day   | 2 generation                |
| Surfactant #1                        | Dermal     | Not classified for male reproduction   | Rat     | NOAEL 100<br>mg/kg/day   | 2 generation                |
| DIETHYLENE GLYCOL MONOETHYL<br>ETHER | Dermal     | Not classified for development         | Rat     | NOAEL 5,500<br>mg/kg/day | during<br>organogenesi<br>s |
| DIETHYLENE GLYCOL MONOETHYL<br>ETHER | Ingestion  | Not classified for development         | Mouse   | NOAEL 5,500<br>mg/kg/day | during<br>organogenesi<br>s |
| DIETHYLENE GLYCOL MONOETHYL<br>ETHER | Inhalation | Not classified for development         | Rat     | NOAEL 0.6<br>mg/l        | during<br>organogenesi<br>s |
| DIETHYLENE GLYCOL MONOETHYL<br>ETHER | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 2,200<br>mg/kg/day | 2 generation                |

# Target Organ(s)

Page 6 of 9

Specific Target Organ Toxicity - single exposure

| Name                                 | Route      | Target Organ(s)        | Value  | Species                      | Test Result            | Exposure<br>Duration |
|--------------------------------------|------------|------------------------|--|------------------------------|------------------------|----------------------|
| Surfactant #1                        | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Not<br>available             | NOAEL Not<br>available | not available        |
| Builder                              | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar<br>compoun<br>ds     | NOAEL Not available    |                      |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification |                              | NOAEL Not available    |                      |
| Surfactant #3                        | Inhalation | respiratory irritation | May cause respiratory irritation   | similar<br>health<br>hazards | NOAEL Not<br>available |                      |

Specific Target Organ Toxicity - repeated exposure

| Name                                 | Route     | Target Organ(s)  | Value  | Species                  | Test Result                 | Exposure<br>Duration |
|--------------------------------------|-----------|--|--|--------------------------|-----------------------------|----------------------|
| Surfactant #1                        | Dermal    | kidney and/or<br>bladder  <br>hematopoietic<br>system  | Not classified   | Rat                      | NOAEL 125<br>mg/kg/day      | 13 weeks             |
| Builder                              | Ingestion | nervous system  <br>kidney and/or<br>bladder           | Some positive data exist, but the data are not sufficient for classification | similar<br>compoun<br>ds | NOAEL Not<br>available      |                      |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Dermal    | kidney and/or<br>bladder                               | Not classified   | Rabbit                   | NOAEL<br>1,000<br>mg/kg/day | 12 weeks             |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Ingestion | liver  | Some positive data exist, but the data are not sufficient for classification | Pig                      | NOAEL 167<br>mg/kg/day      | 90 days              |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Ingestion | kidney and/or<br>bladder                               | Some positive data exist, but the data are not sufficient for classification | Mouse                    | NOAEL<br>2,700<br>mg/kg/day | 90 days              |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Ingestion | endocrine system                                       | Not classified   | Rat                      | NOAEL<br>2,500<br>mg/kg/day | 90 days              |
| DIETHYLENE GLYCOL<br>MONOETHYL ETHER | Ingestion | heart  <br>hematopoietic<br>system   nervous<br>system | Not classified   | Mouse                    | NOAEL<br>8,100<br>mg/kg/day | 90 days              |

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

Page 7 of

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

## **EPCRA 311/312 Hazard Classifications:**

## Physical Hazards

Not applicable

#### **Health Hazards**

Not applicable

### 15.2. State Regulations

#### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

# 15.4. International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

#### NFPA Hazard Classification

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

Page 8 of 9

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### **HMIS Hazard Classification**

**Health:** 0 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

 Document Group:
 41-7245-8
 Version Number:
 3.01

 Issue Date:
 08/25/20
 Supercedes Date:
 07/20/20

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com

Page 9 of